
PyPki

Release 0.0.1

Jan 18, 2020

Contents

1	Overview	1
1.1	Installation	1
1.2	Documentation	1
1.3	Development	2
2	Installation	3
3	Usage	5
4	Reference	7
4.1	pki	7
5	Contributing	9
5.1	Bug reports	9
5.2	Documentation improvements	9
5.3	Feature requests and feedback	9
5.4	Development	10
6	Authors	11
7	Changelog	13
7.1	0.0.0 (2020-01-18)	13
8	Indices and tables	15
	Python Module Index	17
	Index	19

CHAPTER 1

Overview

docs	
tests	
package	

Managing PKI systems

- Free software: BSD 2-Clause License

1.1 Installation

```
pip install pypki
```

You can also install the in-development version with:

```
pip install https://github.com/hlevering/pypki/archive/master.zip
```

1.2 Documentation

<https://pypki.readthedocs.io/>

1.3 Development

To run the all tests run:

```
tox
```

Note, to combine the coverage data from all the tox environments run:

Windows	<pre>set PYTEST_ADDOPTS=--cov-append tox</pre>
Other	<pre>PYTEST_ADDOPTS=--cov-append tox</pre>

CHAPTER 2

Installation

At the command line:

```
pip install pypki
```


CHAPTER 3

Usage

To use PyPki in a project:

```
import pki
```


CHAPTER 4

Reference

4.1 pki

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given.

5.1 Bug reports

When [reporting a bug](#) please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.2 Documentation improvements

PyPki could always use more documentation, whether as part of the official PyPki docs, in docstrings, or even on the web in blog posts, articles, and such.

5.3 Feature requests and feedback

The best way to send feedback is to file an issue at <https://github.com/hlevering/pyпки/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that code contributions are welcome :)

5.4 Development

To set up *pypki* for local development:

1. Fork [pypki](#) (look for the “Fork” button).
2. Clone your fork locally:

```
git clone git@github.com:hlevering/pypki.git
```

3. Create a branch for local development:

```
git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

4. When you’re done making changes run all the checks and docs builder with [tox](#) one command:

```
tox
```

5. Commit your changes and push your branch to GitHub:

```
git add .  
git commit -m "Your detailed description of your changes."  
git push origin name-of-your-bugfix-or-feature
```

6. Submit a pull request through the GitHub website.

5.4.1 Pull Request Guidelines

If you need some code review or feedback while you’re developing the code just make the pull request.

For merging, you should:

1. Include passing tests (run `tox`)¹.
2. Update documentation when there’s new API, functionality etc.
3. Add a note to `CHANGELOG.rst` about the changes.
4. Add yourself to `AUTHORS.rst`.

5.4.2 Tips

To run a subset of tests:

```
tox -e envname -- pytest -k test_myfeature
```

To run all the test environments in *parallel* (you need to `pip install detox`):

```
detox
```

¹ If you don’t have all the necessary python versions available locally you can rely on Travis - it will [run the tests](#) for each change you add in the pull request.
It will be slower though ...

CHAPTER 6

Authors

- Hendrik Levering - <https://github.com/hlevering>

CHAPTER 7

Changelog

7.1 0.0.0 (2020-01-18)

- First release on PyPI.

CHAPTER 8

Indices and tables

- `genindex`
- `modindex`
- `search`

p

pki, [7](#)

P

`pki` (*module*), [7](#)